

Style That Works Better

# CADET™ RIGHT HEIGHT™ **ELONGATED TOILET**

VITREOUS CHINA

### CADET™ RIGHT HEIGHT™ ELONGATED TOILET

#### **2998.012**

- Vitreous china
- Low-consumption (6.0 Lpf/1.6 gpf)
- 16-1/2" rim height for accessible applications
- Elongated siphon action jetted bowl
- AquaForce flushing technology
- Fully glazed 2" trapway
- Close-coupled tank with raised lip detail on tank cover
- Color-matched trip lever
- Speed Connect® tank/bowl coupling system
- Sanitary bar on bowl
- 2 bolt caps
- 100% factory flush tested
  - ☐ **3417.016** Bowl
  - ☐ 4112.016 Tank
- ☐ 2998.164 with Slotted Rim for Bedpan holding
  - ☐ **3417.164** Bowl
  - ☐ 4112.016 Tank

## Alternate Tank Configurations Available:

- 4112.300 Tank complete with chrome all metal
- ☐ 4112.500 Tank complete with Aquagard liner
- ☐ 4112.600 Tank complete with tank cover locking device
- 4112.700 Tank complete with Aquagard liner and tank cover locking device
- ☐ 4112.800 Tank complete with trip lever located on right side
- 4112.900 Tank complete with tank cover device and trip lever located on right side

#### **Nominal Dimensions:**

756 x 495 x 813mm (29-3/4" x 19-1/2" x 32")

Fixture only, seat and supply by others


# **Compliance Certifications -Meets or Exceeds the Following Specifications:**

• ASME A112.19.2M for Vitreous China Fixtures includes Flush Performance, Ball Pass Diameter, Trap Seal Depth and all Dimensions

### To Be Specified:

- ☐ Color: ☐ White ☐ Bone ☐ Linen ☐ Silver ☐ Fawn Beige ☐ Black
- ☐ Seat: American Standard #5324.019 "Rise and Shine" solid plastic closed front, seat with cover.
- ☐ Seat: American Standard #5311.012 "Laurel" molded closed front seat with cover.
- ☐ Alternate Seat:
- Supply with stop:





THIS TOILET IS DESIGNED TO ROUGH-IN AT A MINIMUM DIMENSION OF 305MM (12") FROM FINISHED WALL TO C/L OF OUTLET. SUPPLY NOT INCLUDED WITH FIXTURE AND MUST BE ORDERED SEPARATELY

\* DIMENSION SHOWN FOR LOCATION OF SUPPLY IS SUGGESTED.

IMPORTANT: Dimensions of fixtures are nominal and may vary within the range of tolerances established by ANSI Standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.



MEETS THE AMERICANS WITH DISABILITIES ACT GUIDELINES AND ANSI A117.1 REQUIREMENTS FOR ACCESSIBLE AND USABLE BUILDING FACILITIES-CHECK LOCAL CODES.