

BradyPrinter M611 / BMP®61 Materials

BradyID.com/s36

Circuit Board Materials

Static Dissipative Labels (B-473, B-717, B-718 and B-719)

Low-profile polyimide and polyester materials that have static dissipative properties. Primarily used for circuit board and electronic components labeling.

- **B-473 Electrostatic Dissipative Polyester Material:** White glossy polyester with a permanent static dissipative adhesive and liner
- **B-717 Electrostatic Dissipative Polyimide Material:** High-temperature white glossy polyimide material (2 mil) with a permanent static dissipative adhesive and liner for PCB identification
- **B-718 Glossy Low Profile Electrostatic Dissipative Polyimide Material:** High-temperature, low-profile white glossy polyimide material (1 mil) with a permanent static dissipative adhesive and liner for PCB identification
- **B-719 Matte Low-Profile Electrostatic Dissipative Polyimide Material:** High-temperature, low-profile white matte polyimide material (1 mil) with a permanent static dissipative adhesive and liner




Figure 2




Figure 41

Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Rec. Ribbon (M611 / BMP61)
B-473 Glossy White Electrostatic Dissipative Polyester									
M611, BMP61, 71*, TLS	Fig. 2	** PTL-1-473	B-473	Polyester	White	0.250 (6.35)	0.250 (6.4)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-5-473	B-473	Polyester	White	0.500 (12.7)	0.200 (5.1)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-6-473	B-473	Polyester	White	0.500 (12.7)	0.275 (7)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-9-473	B-473	Polyester	White	0.650 (16.51)	0.200 (5.1)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-10-473	B-473	Polyester	White	0.750 (19.05)	0.250 (6.4)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-16-473	B-473	Polyester	White	1.000 (25.4)	0.375 (9.5)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 41	** PTL-17-473	B-473	Polyester	Black on Yellow	1.000 (25.4)	0.500 (12.7)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-17-473	B-473	Polyester	White	1.000 (25.4)	0.500 (12.7)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-28-473	B-473	Polyester	White	1.500 (38.1)	0.250 (6.4)	750	M61-R6010
B-717 Glossy White Static Dissipative Polyimide									
M611, BMP61, 71*, TLS	Fig. 2	** PTL-10-717	B-717	Polyimide	White	0.250 (6.35)	0.750 (19.1)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-3-717	B-717	Polyimide	White	0.375 (9.53)	0.375 (9.53)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-1-717	B-717	Polyimide	White	0.375 (9.53)	1.000 (25.4)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-9-717	B-717	Polyimide	White	0.650 (16.51)	0.200 (5.1)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-25-717	B-717	Polyimide	White	1.250 (31.75)	0.250 (6.4)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-27-717	B-717	Polyimide	White	1.500 (38.1)	0.125 (3.2)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-28-717	B-717	Polyimide	White	1.500 (38.1)	0.250 (6.4)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-14-717	B-717	Polyimide	White	2.000 (50.8)	0.187 (4.7)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-2-717	B-717	Polyimide	White	2.000 (50.8)	0.250 (6.35)	100	M61-R6010
B-718 Glossy White Low-Profile Static Dissipative Polyimide									
M611, BMP61, 71*, TLS	Fig. 2	** PTL-14-718	B-718	Polyimide	White	0.187 (4.7)	3.000 (76.2)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-10-718	B-718	Polyimide	White	0.250 (6.35)	0.750 (19.1)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-3-718	B-718	Polyimide	White	0.375 (9.53)	0.375 (9.53)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-1-718	B-718	Polyimide	White	0.375 (9.53)	1.000 (25.4)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-16-718	B-718	Polyimide	White	0.375 (9.53)	1.000 (25.4)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-4-718	B-718	Polyimide	White	0.400 (10.2)	0.400 (10.2)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-6-718	B-718	Polyimide	White	0.500 (12.7)	0.275 (6.98)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-9-718	B-718	Polyimide	White	0.650 (16.51)	0.200 (5.1)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-13-718	B-718	Polyimide	White	0.900 (22.86)	0.250 (6.4)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-28-718	B-718	Polyimide	White	1.500 (38.1)	0.250 (6.4)	750	M61-R6010
B-719 Matte White Low-Profile Static Dissipative Polyimide									
M611, BMP61, 71*, TLS	Fig. 2	** PTL-10-719	B-719	Polyimide	White	0.250 (6.35)	0.750 (19.1)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-16-719	B-719	Polyimide	White	0.375 (9.53)	1.000 (25.4)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-4-719	B-719	Polyimide	White	0.400 (10.2)	0.400 (10.2)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-6-719	B-719	Polyimide	White	0.500 (12.7)	0.275 (6.98)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-17-719	B-719	Polyimide	White	0.500 (12.7)	3.000 (76.2)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-9-719	B-719	Polyimide	White	0.650 (16.51)	0.200 (5.1)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-13-719	B-719	Polyimide	White	0.900 (22.86)	0.250 (6.4)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-28-719	B-719	Polyimide	White	1.500 (38.1)	0.250 (6.4)	750	M61-R6010

** ⚠️ **WARNING:** Cancer www.P65Warnings.ca.gov