

Safety Data Sheet MAPESIL T Safety Data Sheet dated: 10/16/2020 - version 4 Date of first edition: 08/15/2016 1. IDENTIFICATION Product identifier Mixture identification: Trade name: MAPESIL T Recommended use of the chemical and restrictions on use Recommended use: Sealant

Restrictions on use: N.A.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company: MAPEI CORP. (USA and Puerto Rico)

1144 East Newport Center Drive 33442 - Deerfield Beach - FL - USA

Phone: 954-246-8888

Emergency 24 hour numbers:

(USA) CHEMTREC 1-800-424-9300

(Canada) CANUTEC 1-613-996-6666

# 2. HAZARD(S) IDENTIFICATION



### **Classification of the chemical**

Skin Irrit. 2	Causes skin irritation.
Eye Irrit. 2A	Causes serious eye irritation.
Skin Sens. 1	May cause an allergic skin reaction.
STOT SE 3	May cause respiratory irritation.

# Label elements

**Pictograms and Signal Words** 



## Hazard statements:

H315Causes skin irritation.H317May cause an allergic skin reaction.H319Causes serious eye irritation.H335May cause respiratory irritation.

### **Precautionary statements:**

•	
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTER if you feel unwell.
P321	Specific treatment (see supplementary instructions on this label).

P332+P313	If skin irritation occurs: Get medical advice/attention.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P363	Wash contaminated clothing before reuse.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with applicable regulations.

### Ingredient(s) with unknown acute toxicity:

#### None

## Hazards not otherwise classified identified during the classification process:

None

This product contains crystalline silica (quartz sand). IARC has classified crystalline silica as a Group 1 carcinogen. Both IARC and NTP consider silica as a known human carcinogen. Evidence is based on the chronic and long-term exposure workers have had to respirable sized crystalline silica dust particles. Because this product is in liquid or paste form, it does not pose a dust hazard; therefore, this classification is not relevant. (Note: sanding of the hardened product may create a silica dust hazard)

This product contains titanium dioxide which IARC has classified as a Group 2B carcinogen (possibly carcinogenic to humans). Evidence is based on sufficient animal testing as a result of long-term inhalation at high concentrations of respirable amounts of titanium dioxide. Because this product is in liquid or paste form, it does not pose a dust hazard; therefore, this classification is not relevant. (Note: sanding of the hardened product may create a dust hazard)

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Substances

N.A.

### Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

### List of components

Quantity	Name	Ident. Numb.	Classification	Registration Number
5-10 %	VINYLTRIS(METHYLETHYLKETOXIME) SILANE	CAS:2224-33-1	Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
1-2.5 %	METHYL ALCOHOL	CAS:67-56-1	Flam. Liq. 2, H225; STOT SE 1, H370; Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331	
1-2.5 %	N-[3- (TRIMETHOXYSILYL)PROPYL] ETHYLENEDIAMINE	CAS:1760-24-3	Flam. Liq. 4, H227; Skin Irrit. 2, H315; Eye Dam. 1, H318; Skin Sens. 1, H317	
1-2.5 % 0.49-1 %	Silica Sand TITANIUM DIOXIDE	CAS:14808-60-7 CAS:13463-67-7	STOT RE 1, H372; Carc. 1A, H350 Carc. 2, H351	

### **4. FIRST AID MEASURES**

### **Description of first aid measures**

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Obtain medical attention if skin related symptoms persist.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

In case of inhalation, consult a doctor immediately and show him packing or label.

### Most important symptoms/effects, acute and delayed

Eye irritation

Eye damages

Skin Irritation

### Erythema

### Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Treatment:

(see paragraph 4.1)

### **5. FIRE-FIGHTING MEASURES**

#### **Extinguishing media**

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

### Unsuitable extinguishing media:

None in particular.

### Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: N.A.

Explosive properties: N.A.

Oxidizing properties: N.A.

# Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

# **6. ACCIDENTAL RELEASE MEASURES**

### Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

See protective measures under point 7 and 8.

### Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand Wash with plenty of water.

# 7. HANDLING AND STORAGE

### Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not use on extensive surface areas in premises where there are occupants.

Use localized ventilation system.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

### Conditions for safe storage, including any incompatibilities

Storage temperature: N.A.

Always keep in a well ventilated place.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Cool and adequately ventilated.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# **Control parameters**

## List of components with OEL value

Compon	ent	OEL Co Type	ountry	Ceiling	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Behaviour Note
METHYL /	ALCOHOL	OSHA			260	200			
Date	10/28/2020	Production I	Name M	/APESIL T					

		ACGIH				200		250		Skin - potential significant contribution to overall exposure by the cutaneous route;eye damage;headache; dizziness;nausea;
		EU			260	200			Indicative	Possibility of significant uptake through the skin;
		MAK	GERMA	NY	130	100				
		ACGIH				200		250		Skin - potential significant contribution to overall exposure by the cutaneous route;eye damage;headache; dizziness;nausea
		EU			260	200			Indicative	Possibility of significant uptake through the skin
		MAK	AUSTRI	A	260	200	1040	800		
		MAK	SWITZE	RLAND	260	200				
Silica Sand		ACGIH			0,025					A2 - Suspected Human Carcinogen;lung cancer;pulmonary fibrosis;
TITANIUM DIOX	IDE	OSHA			15					
		ACGIH			10					A4 - Not Classifiable as a Human Carcinogen;lower respiratory tract irritation;
		MAK	GERMA	NY	0,3					
		ACGIH			10					A4 - Not Classifiable as a Human Carcinogen;lower respiratory tract irritation
		МАК	AUSTRI	A	5		10			
		МАК	SWITZE	RLAND	3					
Biological Exp	osure Ir	ndex								
CAS-No.	Comp		Value	UoM	Mediu	m	Biologica	al Indicator	Sampli	ing Period
67 F6 4										

Methyl alcohol

End of turn

ALCOHOL	

Appropriate engineering controls: N.A.

METHYL

# Individual protection measures

Eye protection:

67-56-1

Use close fitting safety goggles, don't use eye lens.

15

mg/L

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton. Protection for hands:

Urine

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Use respiratory protection where ventilation is insufficient or exposure is prolonged.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state: Liquid Appearance and colour: paste various Odour: N.A. Odour threshold: N.A. pH: N.A. Melting point / freezing point: N.A. Initial boiling point and boiling range: 205 °C (401 °F) Flash point: 96 °C (204,8 °F) Evaporation rate: N.A. Upper/lower flammability or explosive limits: N.A. Vapour density: N.A. Vapour pressure: N.A. Relative density: 1.35 g/l Solubility in water: soluble Solubility in oil: N.A. Partition coefficient (n-octanol/water): N.A. Auto-ignition temperature: N.A. Decomposition temperature: N.A. Viscosity: N.A. Explosive properties: N.A. Oxidizing properties: N.A. Solid/gas flammability: N.A.

# Other information

Substance Groups relevant properties N.A. Miscibility: N.A. Fat Solubility: N.A. Conductivity: N.A.

## **10. STABILITY AND REACTIVITY**

#### Reactivity

Stable under normal conditions

### **Chemical stability**

Data not available.

### Possibility of hazardous reactions

# None.

Conditions to avoid

Stable under normal conditions.

# Incompatible materials

None in particular.

### Hazardous decomposition products

None.

### **11. TOXICOLOGICAL INFORMATION**

### Information on toxicological effects

# Toxicological information of the mixture:

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

### Toxicological information on main components of the mixture:

METHYL ALCOHOL	a) acute toxicity	LC50 Inhalation Rat = 832 mg/l 4h
		LD50 Oral Rat = 5628 mg/kg
		LC50 Inhalation Rat = 22500 ppm 8h
		LD50 Skin Rabbit = 15840 mg/kg
		LD50 Oral Rat = 6200 mg/kg
		LD50 Skin Rabbit = 15840 mg/kg
N-[3- (TRIMETHOXYSILYL) PROPYL] ETHYLENEDIAMINE	a) acute toxicity	LD50 Oral Rat = 2413 mg/kg
Silica Sand	a) acute toxicity	LD50 Oral Rat = 500 mg/kg
TITANIUM DIOXIDE	a) acute toxicity	LD50 Oral Rat > 10000 mg/kg

# If not differently specified, the information required in the regulation and listed below must be considered as N.A.

a) acute toxicity

b) skin corrosion/irritation

c) serious eye damage/irrita	ation
d) respiratory or skin sensit	isation
e) germ cell mutagenicity	
f) carcinogenicity	
g) reproductive toxicity	
h) STOT-single exposure	
Toxicological kinetics, metal and distribution information	
i) STOT-repeated exposure	
j) aspiration hazard	
Substance(s) listed on the IARC	Monographs:
Silica Sand	Group 1
TITANIUM DIOXIDE	Group 2B
Substance(s) listed as OSHA Care	cinogen(s):
Silica Sand	
TITANIUM DIOXIDE	
Substance(s) listed as NIOSH Ca	rcinogen(s):
Silica Sand	
TITANIUM DIOXIDE	
Substance(s) listed on the NTP re	eport on Carcinogens:

Silica Sand

# **12. ECOLOGICAL INFORMATION**

### Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

## List of components with eco-toxicological properties

Component	Ident. Numb.	Ecotox Infos
METHYL ALCOHOL	CAS: 67-56-1	a) Aquatic acute toxicity : LC50 Fish Pimephales promelas = $28200 \text{ mg/L} 96h$ EPA
		a) Aquatic acute toxicity: LC50 Fish Oncorhynchus mykiss 19500 mg/L 96h EPA
		a) Aquatic acute toxicity: LC50 Fish Oncorhynchus mykiss 18 mL/L 96h EPA
		a) Aquatic acute toxicity: LC50 Fish Lepomis macrochirus 13500 mg/L 96h EPA
		d) Terrestrial toxicity: LC50 Worm Eisenia foetida > 1 mg/cm2 48h IUCLID
		a) Aquatic acute toxicity : LC50 Fish Pimephales promelas > 100 mg/L 96h EPA
Silica Sand	CAS: 14808-60-7	a) Aquatic acute toxicity: LC50 carp > 10000,00000 mg/L 72h
Persistence and degradability		
N.A.		
Bioaccumulative potential		
N.A.		
Mobility in soil		
N.A.		
Other adverse effects		
N.A.		

# **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

### Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Empty containers or liners may retain some product residues. Do not re-use empty containers.

### **14. TRANSPORT INFORMATION**

### **UN number**

ADR-UN number: N/A DOT-UN Number: N/A IATA-Un number: N/A IMDG-Un number: N/A

### UN proper shipping name

ADR-Shipping Name: N/A DOT-Proper Shipping Name: N/A IATA-Technical name: N/A IMDG-Technical name: N/A

### Transport hazard class(es)

ADR-Class: N/A DOT-Hazard Class: N/A IATA-Class: N/A IMDG-Class: N/A

### Packing group

ADR-Packing Group: N/A DOT-Packing group: N/A IATA-Packing group: N/A IMDG-Packing group: N/A

### **Environmental hazards**

Marine pollutant: No

Environmental Pollutant: N.A.

# Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

N.A.

### **Special precautions**

Department of Transportation (DOT): DOT-Special Provision(s): N/A DOT-Label(s): N/A DOT-Symbol: N/A DOT-Cargo Aircraft: N/A DOT-Passenger Aircraft: N/A DOT-Bulk: N/A DOT-Non-Bulk: N/A Road and Rail ( ADR-RID ) : ADR-Label: N/A ADR-Hazard identification number: N/A ADR-Transport category (Tunnel restriction code): N/A Air (IATA): IATA-Passenger Aircraft: N/A IATA-Cargo Aircraft: N/A IATA-Label: N/A IATA-Subsidiary hazards: N/A IATA-Erg: N/A IATA-Special Provisioning: N/A Date

Sea ( IMDG ) :

IMDG-Stowage Code: N/A IMDG-Stowage Note: N/A IMDG-Subsidiary hazards: N/A IMDG-Special Provisioning: N/A IMDG-Page: N/A IMDG-Label: N/A IMDG-EMS: N/A IMDG-MFAG: N/A

15. REG	ULATORY INFORMATION				
USA - Fe	ederal regulations				
	oxic Substances Control Act				
	SCA inventory:	TOOL			
	All the components are listed on th	e ISCA inventory			
	SCA listed substances:				
	/INYLTRIS METHYLETHYLKETOXIME)SILANE	is listed in TSCA	Section 8b		
Μ	1ETHYL ALCOHOL	is listed in TSCA	Section 8b		
(	I-[3- TRIMETHOXYSILYL)PROPYL] THYLENEDIAMINE	is listed in TSCA	Section 8b		
S	Silica Sand	is listed in TSCA	Section 8b		
т	TTANIUM DIOXIDE	is listed in TSCA	Section 8b		
SARA - S	uperfund Amendments and Re	authorization Ac	t		
S	Section 302 - Extremely Hazard	ious Substances	:		
Ν	lo substances listed				
S	Section 304 - Hazardous substa	inces:			
M	1ETHYL ALCOHOL				
s	Section 313 - Toxic chemical lis	;t:			
Μ	1ETHYL ALCOHOL				
CERCLA -	· Comprehensive Environmenta	al Response, Cor	npensation, an	d Liability Act	
S	Substance(s) listed under CERC	LA:			
Μ	1ETHYL ALCOHOL	Reporta	ble quantity:	5000	pounds
CAA - Cle	an Air Act				
c	CAA listed substances:				
M	1ETHYL ALCOHOL	is listed in CAA	Section 112(b)	- HAP Section 1	12(b) - HON
CWA - Cle	ean Water Act				
C	CWA listed substances:				
Ν	lo substances listed				
JSA - St	tate specific regulations				
	a Proposition 65				
	Substance(s) listed under Calif	-			
	1ETHYL ALCOHOL	Listed as reprodu			
	Silica Sand	Listed as carcino			
Т	ITANIUM DIOXIDE	Listed as carcino	gen		
	usetts Right to know				
	Substance(s) listed under Mass	achusetts Right	to know:		
	1ETHYL ALCOHOL				
_	Silica Sand				
	TTANIUM DIOXIDE				
-	ania Right to know				
	Substance(s) listed under Penn	sylvania Right t	o know:		
	1ETHYL ALCOHOL				

### New Jersey Right to know

### Substance(s) listed under New Jersey Right to know:

METHYL ALCOHOL Silica Sand TITANIUM DIOXIDE

# **Canada - Federal regulations**

# **DSL - Domestic Substances List**

### **DSL Inventory:**

All the substances are listed in the DSL.

## **NDSL - Non Domestic Substances List**

NDSL Inventory:

No substances listed

### NPRI - National Pollutant Release Inventory Substances listed in NPRI:

No substances listed

# **16. OTHER INFORMATION**

16. OTHER IN	FORMATION
Code	Description
H225	Highly flammable liquid and vapour.
H227	Combustible liquid.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H350	May cause cancer.
H351	Suspected of causing cancer.
H370	Causes damage to organs.
H372	Causes damage to organs through prolonged or repeated exposure.

Safety Data Sheet dated: 10/16/2020 - version 4

Product code: 3BT000091

# Additional classification information



HMIS Health: 1 = Slight HMIS Health - Is health hazard chronic? Yes HMIS Flammability: 1 = Combustible if heated HMIS Reactivity: 0 = Minimal HMIS P.P.E.: Safety glasses, gloves NFPA Health: 1 = Slight NFPA Flammability: 1 = Combustible if heated NFPA Reactivity: 0 = Minimal NFPA Special Risk: N.A.

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended. This SDS cancels and replaces any preceding release.

### Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

GefStoffVO: Ordinance on Hazardous Substances, Germany.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

WGK: German Water Hazard Class.

KSt: Explosion coefficient.

## Paragraphs modified from the previous revision:

- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

- 2. HAZARDS IDENTIFICATION
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 4. FIRST AID MEASURES
- 5. FIRE-FIGHTING MEASURES
- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION
- 13. DISPOSAL CONSIDERATIONS
- 14. TRANSPORT INFORMATION
- 15. REGULATORY INFORMATION
- 16. OTHER INFORMATION