

SAFETY DATA SHEET

1. Identification

Product identifier	CIMTAP®	
	TAPPING COMPOUND	
Other means of identification		
SDS number	Not applicable	
Recommended use	TAPPING COMPOUND	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/Distributor information		
Company name	CIMCOOL® Industrial Products LLC	
	3000 Disney Street	
	Cincinnati, Ohio 45209	

Telephone (General Information)	513-458-8100
Emergency telephone number	1-800-424-9300 (CHEMTREC)
Emergency telephone number (outside USA)	1-703-527-3887 (CHEMTREC)

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Serious eye irritation	Category 2A
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 1
	Hazardous to the aquatic environment, long-term hazard	Category 2
OSHA defined hazards	Not classified.	

Label elements



	\mathbf{v} \mathbf{v}
Signal word	Warning
Hazard statement	Causes serious eye irritation. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.
Precautionary statement	
Prevention	Wash thoroughly after handling. Avoid release to the environment. Wear eye protection/face protection.
Response	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Collect spillage.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	11.51% of the mixture consists of component(s) of unknown acute dermal toxicity. 32.57% of the mixture consists of component(s) of unknown acute inhalation toxicity.

3. Composition/information on ingredients

Mixtures

Mixtures			
Chemical name	Common name and synonyms	CAS number	%
C14-C17 MEDIUM CHAIN CHLORINATED PARAFFIN		63449-39-8	20 - 30
ARYL, ALKYL DERIVS., SULFONATED SODIUM SALT	S	148520-82-5	5 - 10
SEVERELY-HYDROTREATED NAPHTHENIC DISTILLATES		64742-52-5	5 - 10
Other components below report	able levels		60 - 70
*Designates that a specific chemic	al identity and/or percentage of composition has	s been withheld as a trade sec	pret.
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptom intended use, this material is not expected to		rmal conditions of
Skin contact	Rinse skin with water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.		
Eye contact	Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.		
Ingestion	Rinse mouth thoroughly. Do not give liquids. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.		
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.		
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Symptoms may be delayed. cial		
General information	If exposed or concerned: Get medical advice/a attendance.	attention. Show this safety dat	a sheet to the doctor in
5. Fire-fighting measures			
Suitable extinguishing media	Foam. Dry chemical powder. Carbon dioxide (appropriate to local circumstances and the su		sures that are
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.		
Specific hazards arising from the chemical	During fire, gases hazardous to health may be	e formed.	
Special protective equipment and precautions for firefighters	Wear suitable protective equipment.		
Fire fighting equipment/instructions	Use standard firefighting procedures and cons containers from fire area if you can do so with		lved materials. Move
Specific methods	Use standard firefighting procedures and consevent of fire and/or explosion do not breathe f		lved materials. In the
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release measures			

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up	Local authorities should be advised if significant spillages cannot be contained. This product is miscible in water. Clean up in accordance with all applicable regulations.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.
7. Handling and storage	
Precautions for safe handling	Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Avoid contact with eyes. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Do not allow material to freeze. If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use.

8. Exposure controls/personal protection

Occupational exposure limits

U.S OSHA		
	Туре	Value
SEVERELY-HYDROTREAT ED NAPHTHENIC DISTILLATES (CAS 64742-52-5)	PEL	5 mg/m3
ACGIH		
	Туре	Value
SEVERELY-HYDROTREAT ED NAPHTHENIC DISTILLATES (CAS 64742-52-5)	TWA	5 mg/m3
xposure guidelines	Occupational Exposure Limits are not relevant to the current physical form of the product.	
ppropriate engineering ontrols	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash fountain and emergency showers are recommended.	
dividual protection measures,	such as personal protective equipn	nent
Eye/face protection	Wear safety glasses with side shields (or goggles). Do not get in eyes. Eye wash fountain is recommended.	
Skin protection		
Hand protection	Use protective gloves made of: Nitrile.	
Other	Wear suitable protective clothing.	
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.	
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.	
eneral hygiene onsiderations	good personal hygiene measures, si	oke. Do not get in eyes, on skin, on clothing. Always observe uch as washing after handling the material and before eating, wash work clothing and protective equipment to remove

9. Physical and chemical properties

Appearance	Opaque.
Physical state	Not available.
Form	Paste.

Color	Not available.
Odor	CHEMICAL
Odor threshold	Not available.
рН	Not Applicable
Melting point/freezing point	34 °F (1.1 °C)
Initial boiling point and boiling range	Not Applicable
Flash point	Not Applicable
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	100 % Water Miscible
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Specific gravity	1.063 @ 60°F
VOC ASTM D2369	0 %
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Heat, flames and sparks. Contact with incompatible materials.
Incompatible materials	Acids. Oxidizing agents. Do not add sodium nitrite or other nitrosating agents which may form cancer causing nitrosamines.
Hazardous decomposition products	Smoke, fumes, oxides of nitrogen, hydrogen chloride, and oxides of carbon
11. Toxicological informat	ion
Information on likely routes of e	xposure
Inhalation	Not classified

······································	
Inhalation	Not classified.
Skin contact	Not classified.
Eye contact	Causes serious eye irritation.
Ingestion	Not classified.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Information on toxicological effects

Acute toxicity	Not known.	
Components	Species	Test Results
ARYL, ALKYL DERIVS., SULFON	ATED SODIUM SALTS (CAS 148520-82-5)	
<u>Acute</u>		
Oral		
LD50	Rat	404 mg/kg
C14-C17 MEDIUM CHAIN CHLOR	RINATED PARAFFIN (CAS 63449-39-8)	
Acute		
Dermal		
Liquid LD50	Rabbit	5 0000 mm//mm
LDOU	Raddit	> 2000 mg/kg
* Estimates for product may b	e based on additional component data not shown.	
Skin corrosion/irritation	Not classified.	
Serious eye damage/eye irritation	Causes serious eye irritation.	
Respiratory or skin sensitization	1	
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitization	ation.
Germ cell mutagenicity	No data available to indicate product or any compo mutagenic or genotoxic.	nents present at greater than 0.1% are
Carcinogenicity	This product is not considered to be a carcinogen b	by IARC, ACGIH, NTP, or OSHA.
Not regulated.	d Substances (29 CFR 1910.1001-1050) ogram (NTP) Report on Carcinogens This product is not expected to cause reproductive Not classified. Not classified. Not an aspiration hazard. Not classified.	or developmental effects.
Further information	The classification for health and environmental haz methods and test data, if available.	ards is derived by a combination of calculation
12. Ecological information	1	
Ecotoxicity	Very toxic to aquatic life. Toxic to aquatic life with le	ong lasting effects.
Components	Species	Test Results
Aquatic Acute	LC50 Bluegill (Lepomis macrochirus)	> 0.1 mg/l, 96 hours
 Tother stars for a list of the list 		
	e based on additional component data not shown.	
Persistence and degradability		
Bioaccumulative potential	No data available.	
Mobility in soil		deplotion photochamical arcas
Other adverse effects	No other adverse environmental effects (e.g. ozone potential, endocrine disruption, global warming potential	

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information


,	1	
	UN number	UN3082
	UN proper shipping name	Environmentally hazardous substances, liquid, n.o.s., (C14-C17 MEDIUM CHAIN CHLORINATED PARAFFIN), MARINE POLLUTANT
	Transport hazard class(es)	
	Class	9
	Subsidiary risk	-
	Label(s)	9
	Packing group	III
	Environmental hazards	
	Marine pollutant	Yes
	Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
	Special provisions	8, 146, 335, IB3, T4, TP1, TP29
	Packaging exceptions	155
	Packaging non bulk	203
	Packaging bulk	241
	Supplemental Information: 49C unless all or part of the shipment	FR 171.4 excludes "non-bulk"packages (119 gallons or less) from Marine Pollutant Requirements nt is by vessel.

ΙΑΤΑ

ΙΑΤΑ	
UN number	UN3082
UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (C14-C17 MEDIUM CHAIN CHLORINATED PARAFFIN)
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	
Environmental hazards	Yes
ERG Code	9L
Special precautions for user Other information	Read safety instructions, SDS and emergency procedures before handling.
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (C14-C17 MEDIUM CHAIN CHLORINATED PARAFFIN), MARINE POLLUTANT
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	
Marine pollutant	Yes
EmS	F-A, S-F
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Not established. Not applicable. Annex II of MARPOL 73/78 and the IBC Code

DOT; IATA; IMDG



Marine pollutant



General information

IMDG Regulated Marine Pollutant. DOT Regulated Marine Pollutant.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. It may be reportable under the provisions of SARA Sections 311 and 312 if specific threshold criteria are met or exceeded.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

TSCA Chemical Action Plans, Chemicals of Concern

C14-C17 MEDIUM CHAIN CHLORINATED PARAFFIN (CAS 63449-39-8)

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Hazard categories

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No Short-Chain Chlorinated Paraffins (SCCPs) and Other Chlorinated Paraffins Action Plan

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes chemical

SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.	
Safe Drinking Water Act (SDWA)	Not regulated.
Food and Drug Administration (FDA)	Not regulated.

US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

C14-C17 MEDIUM CHAIN CHLORINATED PARAFFIN (CAS 63449-39-8) SEVERELY-HYDROTREATED NAPHTHENIC DISTILLATES (CAS 64742-52-5)

California South Coast Air
Quality ManagementThis product is subject to SCAQMD Rule 1144; it is compliant and may be sold and used in the
SCAQMD. The VOC content of the product is 0 g/L, measured by ASTM Method E-1868-10. This
product has a specified VOC limit of 50 g/L.

1144 (VOC Emissions)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

International Inventories

Country(s) or region	Inventory name	On inventory or exempt (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Ves" indicates this product co	mplies with the inventory requirements administered by the governing count	tru(e)

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

16. Other information, including date of preparation or last revision

Issue date	11-11-2014
Revision date	06-19-2017
Version #	04
Further information	Not available.
NFPA ratings	Health: 1 Flammability: 0 Instability: 0
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.