# SAFETY DATA SHEET



1. Identification

**Product identifier** CIMTECH® 100

METALWORKING FLUID

Other means of identification

SDS number Not applicable

METALWORKING FLUID Recommended use

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Company name CIMCOOL® Industrial Products LLC

> 3000 Disney Street Cincinnati, Ohio 45209

Telephone (General

Information)

513-458-8100

**Emergency telephone** 

number

1-800-424-9300 (CHEMTREC)

**Emergency telephone** number (outside USA) 1-703-527-3887 (CHEMTREC)

# 2. Hazard(s) identification

Physical hazards Corrosive to metals Category 1 **Health hazards** Serious eye irritation Category 2

Not classified. **Environmental hazards OSHA** defined hazards Not classified.

Label elements



Warning Signal word

May be corrosive to metals. Causes serious eye irritation. **Hazard statement** 

**Precautionary statement** 

Keep only in original container. Wash thoroughly after handling. Wear eye protection/face Prevention

protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and Response

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Absorb

spillage to prevent material damage.

Store in corrosive resistant container with a resistant inner liner. Storage

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information Use in manufacturing processes only.

The classified hazards shown on this SDS are associated with the product concentrate. These

hazards are not expected under recommended use conditions and dilution.

# 3. Composition/information on ingredients

**Mixtures** 

1/9

Material name: CIMTECH® 100

| Chemical name                              | Common name and synonyms | CAS number | %       |
|--|--------------------------|------------|---------|
| TRIETHANOLAMINE                            |                          | 102-71-6   | 5 - 10  |
| MONOETHANOLAMINE                           |                          | 141-43-5   | 3 - 5   |
| NONANOIC (PELARGONIC) ACID                 |                          | 112-05-0   | 1 - 3   |
| TRIS[(2-HYDROXYETHYL)AMMONIUM] ORTHOBORATE | N .                      | 68797-44-4 | 1 - 3   |
| Other components below reportable          | levels                   |            | 80 - 90 |

The exact percentages of hazardous ingredients have been withheld as a trade secret.

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist. Under normal conditions of

intended use, this material is not expected to be an inhalation hazard.

Rinse skin with water. If skin irritation or rash occurs: Get medical advice/attention. Wash Skin contact

contaminated clothing before reuse.

redness, swelling, and blurred vision.

Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. If eye Eve contact

irritation persists: Get medical advice/attention.

Ingestion Rinse mouth thoroughly. Drink 1 or 2 glasses of water. Do not induce vomiting. If vomiting occurs,

keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if

Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing,

you feel unwell.

Most important symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

**General information** If exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in

attendance.

# 5. Fire-fighting measures

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Use extinguishing measures that Suitable extinguishing media

are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

Fire fighting equipment/instructions

Specific methods

During fire, gases hazardous to health may be formed.

Wear suitable protective equipment.

Not applicable, non-combustible.

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. In the event of fire and/or explosion do not breathe fumes.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Local authorities should be advised if significant spillages cannot be contained. This product is miscible in water. Prevent entry into waterways, sewer, basements or confined areas. Clean up in accordance with all applicable regulations.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb spillage to prevent material damage. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

SDS US 2/9 

**Environmental precautions** 

Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

# 7. Handling and storage

Precautions for safe handling

Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in a cool, dry place out of direct sunlight. Store in corrosive resistant container with a resistant inner liner. Store in tightly closed container. Keep only in the original container. If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use. Do not allow material to freeze. Store away from incompatible materials (see Section 10 of the SDS).

#### 8. Exposure controls/personal protection

#### Occupational exposure limits

# US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

|  | Туре          | Value    |  |
|--|---------------|----------|--|
| MONOETHANOLAMINE<br>(CAS 141-43-5)     | PEL           | 6 mg/m3  |  |
|  |               | 3 ppm    |  |
| US. NIOSH: Pocket Guide to Chen        | nical Hazards |          |  |
|  | Туре          | Value    |  |
| MONOETHANOLAMINE<br>(CAS 141-43-5)     | STEL          | 15 mg/m3 |  |
|  |               | 6 ppm    |  |
|  | TWA           | 8 mg/m3  |  |
|  |               | 3 ppm    |  |
| <b>US. ACGIH Threshold Limit Value</b> | s             |          |  |
|  | Туре          | Value    |  |
| MONOETHANOLAMINE<br>(CAS 141-43-5)     | STEL          | 6 ppm    |  |
|  | TWA           | 3 ppm    |  |
| TRIETHANOLAMINE (CAS 102-71-6)         | TWA           | 5 mg/m3  |  |

# Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash fountain and emergency showers are recommended.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles). Do not get in eyes. Eye wash fountain is

recommended.

Skin protection

**Hand protection** Nitrile gloves are recommended.

Other Wear appropriate chemical resistant clothing.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Do not get in eyes, on skin, on clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

#### 9. Physical and chemical properties

Appearance CLEAR
Physical state Liquid.
Form Liquid.
Color Not available.
Odor CHEMICAL

Material name: CIMTECH® 100 SDS US

Odor threshold Not available.

**pH** 10.2

Melting point/freezing point  $< 28 \degree F (< -2.2 \degree C)$ Initial boiling point and boiling  $> 212 \degree F (> 100 \degree C)$ 

range

Flash point Not Applicable

**Evaporation rate** Like water when diluted

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) 100 % Water Miscible

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Explosive properties

Oxidizing properties

PH in aqueous solution

Specific gravity

VOC ASTM D2369

Not explosive.

Not explosive.

Not explosive.

Not explosive.

Not explosive.

1.049

1.049

1.049

#### 10. Stability and reactivity

**Reactivity** May be corrosive to metals.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with

incompatible materials.

**Incompatible materials**Do not add sodium nitrite or other nitrosating agents which may form cancer causing nitrosamines.

Aluminum. Acids. Oxidizing agents.

Hazardous decomposition

products

Smoke, fumes, oxides of nitrogen, and oxides of carbon

# 11. Toxicological information

Information on likely routes of exposure

InhalationNot classified.Skin contactNot classified.

**Eye contact** Causes eye irritation.

Ingestion Not classified.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing,

redness, swelling, and blurred vision.

Material name: CIMTECH® 100 SDS US

# Information on toxicological effects

Acute toxicity

Components Species Test Results

MONOETHANOLAMINE (CAS 141-43-5)

Acute Dermal

LD50 Rabbit 1025 mg/kg

NONANOIC (PELARGONIC) ACID (CAS 112-05-0)

Acute
Dermal
Liquid

LD50 Rat > 2000 mg/kg

**Oral** Liquid

LD50 Rat > 2000 mg/kg

TRIETHANOLAMINE (CAS 102-71-6)

Acute
Dermal
Liquid

LD50 Rabbit > 2000 mg/kg

**Oral** *Liquid* 

LD50 Rat 4190 mg/kg

TRIS[(2-HYDROXYETHYL)AMMONIUM] ORTHOBORATE (CAS 68797-44-4)

Acute Dermal Liquid

LD50 Rabbit > 2504 mg/kg ATE

**Oral** *Liquid* 

LD50 Rat > 1515 mg/kg ATE

Skin corrosion/irritation Not classified.

Serious eye damage/eye Causes eye irritation.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

TRIETHANOLAMINE (CAS 102-71-6) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

 Material name: CIMTECH® 100
 SDS US

 Version #: 05
 Issue date: 10-03-2014
 5 / 9

**Chronic effects** Not classified.

**Further information** The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

# 12. Ecological information

**Ecotoxicity** 

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

| Components       |                   | Species   | Test Results                 |
|------------------|-------------------|---|------------------------------|
| MONOETHANOLAMI   | NE (CAS 141-43-5) |   |                              |
| Aquatic          |                   |   |                              |
| Fish             | LC50              | Rainbow trout,donaldson trout (Oncorhynchus mykiss) | 114 - 196 mg/l, 96 hours     |
| Acute            |                   |   |                              |
| Crustacea        | EC50              | Daphnia   | 65 mg/l, 48 hours ECHA       |
| NONANOIC (PELARO | GONIC) ACID (CAS  | 112-05-0)   |                              |
| Aquatic          |                   |   |                              |
| Acute            |                   |   |                              |
| Crustacea        | EC50              | Daphnia   | 96 mg/l, 48 hours            |
| Fish             | LC50              | Rainbow trout,donaldson trout (Oncorhynchus mykiss) | 91 mg/l, 96 hours            |
| TRIETHANOLAMINE  | (CAS 102-71-6)    |   |                              |
| Aquatic          |                   |   |                              |
| Crustacea        | EC50              | Water flea (Ceriodaphnia dubia)                     | 565.2 - 658.3 mg/l, 48 hours |

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bluegill (Lepomis macrochirus)

Bioaccumulative potential

Acute

Fish

Partition coefficient n-octanol / water (log Kow)

MONOETHANOLAMINE -1.31 NONANOIC (PELARGONIC) ACID 3.42 **TRIETHANOLAMINE** -2.3

LC50

Bioconcentration factor (BCF)

MONOETHANOLAMINE < 3.2, ESTIMATED

Mobility in soil This product is miscible in water.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

450 - 1000 mg/l, 96 hours

# 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Local disposal regulations

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

# 14. Transport information

DOT

**UN** number UN3267

**UN proper shipping name** Transport hazard class(es) Corrosive liquid, basic, organic, n.o.s. (MONOETHANOLAMINE, TRIETHANOLAMINE)

Class 8 Subsidiary risk

Material name: CIMTECH® 100 6/9

Label(s) 8
Packing group

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions IB3, T7, TP1, TP28

Packaging exceptions154Packaging non bulk203Packaging bulk241

Supplemental Information: This Product Concentrate is corrosive only to Aluminum. Per 49CFR 173.154(d)(1) Except for a hazardous substance, a hazardous waste, or a marine pollutant, a material classed as Class 8 Packing Group III, solely because of its corrosive effect on aluminum - is not subject to any other requirements of this subchapter when transported by motor vehicle or rail car in packaging that will not react or be degraded by the corrosive material.

#### **IATA**

UN number UN3267

UN proper shipping name

Corrosive liquid, basic, organic, n.o.s. (MONOETHANOLAMINE, TRIETHANOLAMINE)

Transport hazard class(es)

Class 8
Subsidiary risk Packing group III
Environmental hazards No.
ERG Code 8L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo Allowed with restrictions.

aircraft

Cargo aircraft only Allowed with restrictions.

**IMDG** 

UN number UN3267

UN proper shipping name CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (MONOETHANOLAMINE,

TRIETHANOLAMINE)

Not established.

Transport hazard class(es)

Class 8
Subsidiary risk Packing group III

**Environmental hazards** 

Marine pollutant No. EmS F-A, S-B

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

DOT



Material name: CIMTECH® 100 SDS US

#### IATA; IMDG



# 15. Regulatory information

**US** federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. It may be reportable under the provisions of SARA Sections 311 and 312 if specific threshold criteria are met or exceeded.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

Classified hazard Corrosive to metal

categories Serious eye damage or eye irritation

Yes

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

**US state regulations** 

California South Coast Air Quality Management District (SCAQMD) Rule 1144 (VOC Emissions) This product is subject to SCAQMD Rule 1144; it is compliant and may be sold and used in the SCAQMD. The VOC content of the product is 90 g/L, measured by ASTM Method E-1868-10. This product has a specified use dilution VOC limit of 75 g/L, the maximum dilution concentration is 83 % to maintain compliance.

% to maintain compliance.

**California Proposition 65** 

WARNING: This product can expose you to chemicals including Diethanolamine, which is known to the State

of California to cause cancer, and Ethylene Glycol, which is known to the State of California to

cause birth defects or other reproductive harm. For more information go

to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Diethanolamine (CAS 111-42-2) Listed: June 22, 2012

California Proposition 65 - CRT: Listed date/Developmental toxin

Ethylene Glycol (CAS 107-21-1) Listed: June 19, 2015

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Diethanolamine (CAS 111-42-2) Ethylene Glycol (CAS 107-21-1)

Material name: CIMTECH® 100 SDS US

#### **International Inventories**

| Country(s) or region | Inventory name   | On inventory or exempt (yes/no)* |
|----------------------|--|----------------------------------|
| Australia            | Australian Inventory of Chemical Substances (AICS)                     | Yes                              |
| Canada               | Domestic Substances List (DSL)   | No                               |
| Canada               | Non-Domestic Substances List (NDSL)                                    | Yes                              |
| China                | Inventory of Existing Chemical Substances in China (IECSC)             | Yes                              |
| Europe               | European Inventory of Existing Commercial Chemical Substances (EINECS) | No                               |
| Europe               | European List of Notified Chemical Substances (ELINCS)                 | No                               |
| Japan                | Inventory of Existing and New Chemical Substances (ENCS)               | No                               |
| Korea                | Existing Chemicals List (ECL)  | No                               |
| New Zealand          | New Zealand Inventory  | Yes                              |
| Philippines          | Philippine Inventory of Chemicals and Chemical Substances (PICCS)      | Yes                              |

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

Toxic Substances Control Act (TSCA) Inventory

# 16. Other information, including date of preparation or last revision

 Issue date
 10-03-2014

 Revision date
 08-21-2018

Version # 05

United States & Puerto Rico

NFPA ratings Health: 1

Flammability: 0 Instability: 0

**NFPA** ratings



**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

**Revision information**This document has undergone significant changes and should be reviewed in its entirety.

Material name: CIMTECH® 100 SDS US

Yes