




# STRUT CLAMPS

## 2401 - 2496



### APPLICATION:

For use with No-Hub  
Cast Iron Soil Pipe

| Fig. Number | No-Hub Cast Iron Soil Nom. Pipe Size |       |
|-------------|--------------------------------------|-------|
| 2006        | 1 1/2                                | (40)  |
| 2007        | 2                                    | (50)  |
| 2424        | 3                                    | (80)  |
| 2430        | 4                                    | (100) |
| 2437        | 5                                    | (125) |
| 2445        | 6                                    | (150) |
| 2460        | 8                                    | (200) |
| 2477        | 10                                   | (250) |
| 2493        | 12                                   | (300) |

### MATERIAL:

Low carbon steel

### FINISH:

Electro-galvanized

### ORDERING:

Specify figure number and O.D. tube size.

## O.D. Tube Clamp


| Fig. Number | O.D. Size |          | Std. Package | Material Size | Max. Rec. Load |        |      |        |      |        | Wt. Each |       |
|-------------|-----------|----------|--------------|---------------|----------------|--------|------|--------|------|--------|----------|-------|
|             |           |          |              |               | X              |        | Y    |        | Z    |        |          |       |
|             |           |          |              |               | Lbs.           | kN     | Lbs. | kN     | Lbs. | kN     | Lbs.     | kg    |
| 2401        | 1/4       | (6.35)   | 100          | 16 Ga.        | 50             | (0.22) | 50   | (0.22) | 400  | (1.78) | .09      | (.04) |
| 2402        | 3/8       | (9.53)   | 100          | 16 Ga.        | 50             | (0.22) | 50   | (0.22) | 400  | (1.78) | .09      | (.04) |
| 2403        | 1/2       | (12.70)  | 100          | 16 Ga.        | 50             | (0.22) | 50   | (0.22) | 400  | (1.78) | .10      | (.05) |
| 2404        | 5/8       | (15.88)  | 100          | 16 Ga.        | 50             | (0.22) | 50   | (0.22) | 400  | (1.78) | .10      | (.05) |
| 2405        | 3/4       | (19.05)  | 100          | 16 Ga.        | 50             | (0.22) | 50   | (0.22) | 400  | (1.78) | .10      | (.05) |
| 2406        | 7/8       | (22.23)  | 100          | 16 Ga.        | 50             | (0.22) | 50   | (0.22) | 400  | (1.78) | .10      | (.05) |
| 2407        | 1         | (25.40)  | 100          | 14 Ga.        | 75             | (0.33) | 75   | (0.33) | 600  | (2.67) | .13      | (.06) |
| 2408        | 1 1/8     | (28.58)  | 100          | 14 Ga.        | 75             | (0.33) | 75   | (0.33) | 600  | (2.67) | .14      | (.06) |
| 2409        | 1 1/4     | (31.75)  | 100          | 14 Ga.        | 75             | (0.33) | 75   | (0.33) | 600  | (2.67) | .14      | (.06) |
| 2410        | 1 3/8     | (34.93)  | 100          | 14 Ga.        | 75             | (0.33) | 75   | (0.33) | 600  | (2.67) | .16      | (.07) |
| 2411        | 1 1/2     | (38.10)  | 100          | 14 Ga.        | 75             | (0.33) | 75   | (0.33) | 600  | (2.67) | .16      | (.07) |
| 2412        | 1 5/8     | (41.28)  | 100          | 14 Ga.        | 75             | (0.33) | 75   | (0.33) | 600  | (2.67) | .17      | (.08) |
| 2413        | 1 3/4     | (44.45)  | 50           | 12 Ga.        | 125            | (0.56) | 125  | (0.56) | 800  | (3.56) | .27      | (.12) |
| 2414        | 1 7/8     | (47.63)  | 50           | 12 Ga.        | 125            | (0.56) | 125  | (0.56) | 800  | (3.56) | .28      | (.13) |
| 2415        | 2         | (50.80)  | 50           | 12 Ga.        | 125            | (0.56) | 125  | (0.56) | 800  | (3.56) | .28      | (.13) |
| 2416        | 2 1/8     | (53.98)  | 50           | 12 Ga.        | 125            | (0.56) | 125  | (0.56) | 800  | (3.56) | .29      | (.13) |
| 2417        | 2 1/4     | (57.15)  | 50           | 12 Ga.        | 125            | (0.56) | 125  | (0.56) | 800  | (3.56) | .32      | (.15) |
| 2418        | 2 1/2     | (63.50)  | 50           | 12 Ga.        | 125            | (0.56) | 125  | (0.56) | 800  | (3.56) | .34      | (.15) |
| 2419        | 2 5/8     | (66.68)  | 50           | 12 Ga.        | 125            | (0.56) | 125  | (0.56) | 800  | (3.56) | .35      | (.16) |
| 2420        | 2 3/4     | (69.85)  | 50           | 12 Ga.        | 125            | (0.56) | 125  | (0.56) | 800  | (3.56) | .37      | (.17) |
| 2421        | 3         | (76.20)  | 50           | 12 Ga.        | 125            | (0.56) | 125  | (0.56) | 800  | (3.56) | .39      | (.18) |
| 2422        | 3 1/8     | (79.38)  | 50           | 12 Ga.        | 125            | (0.56) | 125  | (0.56) | 800  | (3.56) | .40      | (.18) |
| 2423        | 3 1/4     | (82.55)  | 50           | 12 Ga.        | 125            | (0.56) | 125  | (0.56) | 800  | (3.56) | .42      | (.19) |
| 2424        | 3 3/8     | (85.73)  | 50           | 12 Ga.        | 125            | (0.56) | 125  | (0.56) | 800  | (3.56) | .43      | (.20) |
| 2425        | 3 5/8     | (92.08)  | 50           | 11 Ga.        | 150            | (0.67) | 200  | (0.89) | 1000 | (4.45) | .51      | (.23) |
| 2426        | 3 3/4     | (95.25)  | 50           | 11 Ga.        | 150            | (0.67) | 200  | (0.89) | 1000 | (4.45) | .53      | (.24) |
| 2427        | 3 7/8     | (98.43)  | 50           | 11 Ga.        | 150            | (0.67) | 200  | (0.89) | 1000 | (4.45) | .54      | (.24) |
| 2428        | 4 1/8     | (104.78) | 50           | 11 Ga.        | 150            | (0.67) | 200  | (0.89) | 1000 | (4.45) | .57      | (.26) |
| 2429        | 4 1/4     | (107.95) | 25           | 11 Ga.        | 150            | (0.67) | 200  | (0.89) | 1000 | (4.45) | .59      | (.27) |
| 2430        | 4 3/8     | (111.13) | 25           | 11 Ga.        | 150            | (0.67) | 200  | (0.89) | 1000 | (4.45) | .60      | (.27) |
| 2431        | 4 5/8     | (117.48) | 25           | 11 Ga.        | 150            | (0.67) | 200  | (0.89) | 1000 | (4.45) | .62      | (.28) |
| 2432        | 4 3/4     | (120.65) | 25           | 11 Ga.        | 150            | (0.67) | 200  | (0.89) | 1000 | (4.45) | .64      | (.29) |
| 2433        | 4 7/8     | (123.83) | 25           | 11 Ga.        | 150            | (0.67) | 200  | (0.89) | 1000 | (4.45) | .65      | (.29) |
| 2434        | 5         | (127.00) | 25           | 11 Ga.        | 150            | (0.67) | 200  | (0.89) | 1000 | (4.45) | .67      | (.30) |
| 2435        | 5 1/8     | (130.18) | 25           | 11 Ga.        | 150            | (0.67) | 200  | (0.89) | 1000 | (4.45) | .68      | (.31) |
| 2436        | 5 1/4     | (133.35) | 25           | 11 Ga.        | 150            | (0.67) | 200  | (0.89) | 1000 | (4.45) | .70      | (.32) |
| 2437        | 5 3/8     | (136.53) | 25           | 11 Ga.        | 150            | (0.67) | 200  | (0.89) | 1000 | (4.45) | .71      | (.32) |
| 2438        | 5 1/2     | (139.70) | 25           | 11 Ga.        | 150            | (0.67) | 200  | (0.89) | 1000 | (4.45) | .72      | (.33) |
| 2439        | 5 5/8     | (142.88) | 25           | 11 Ga.        | 150            | (0.67) | 200  | (0.89) | 1000 | (4.45) | .85      | (.39) |
| 2440        | 5 3/4     | (146.05) | 25           | 11 Ga.        | 150            | (0.67) | 200  | (0.89) | 1000 | (4.45) | .87      | (.39) |
| 2441        | 5 7/8     | (149.23) | 25           | 11 Ga.        | 150            | (0.67) | 200  | (0.89) | 1000 | (4.45) | .88      | (.40) |
| 2442        | 6         | (152.40) | 25           | 11 Ga.        | 150            | (0.67) | 200  | (0.89) | 1000 | (4.45) | .90      | (.41) |
| 2443        | 6 1/8     | (155.58) | 25           | 11 Ga.        | 200            | (0.89) | 250  | (1.11) | 1000 | (4.45) | .93      | (.42) |
| 2444        | 6 1/4     | (158.75) | 25           | 11 Ga.        | 200            | (0.89) | 250  | (1.11) | 1000 | (4.45) | .94      | (.43) |
| 2445        | 6 3/8     | (161.93) | 25           | 11 Ga.        | 200            | (0.89) | 250  | (1.11) | 1000 | (4.45) | .95      | (.43) |
| 2446        | 6 1/2     | (165.10) | 25           | 11 Ga.        | 200            | (0.89) | 250  | (1.11) | 1000 | (4.45) | .98      | (.44) |
| 2447        | 6 3/4     | (171.45) | 25           | 11 Ga.        | 200            | (0.89) | 250  | (1.11) | 1000 | (4.45) | .99      | (.45) |
| 2448        | 6 7/8     | (174.63) | 25           | 11 Ga.        | 200            | (0.89) | 250  | (1.11) | 1000 | (4.45) | 1.00     | (.45) |

Unless otherwise specified, all dimensions on drawings and in charts are in inches and dimensions shown in parentheses are in millimeters.



# STRUT CLAMPS

2401 - 2496



**MATERIAL:**

Low carbon steel

**FINISH:**

Electro-galvanized

**ORDERING:**

Specify figure number and O.D. tube size.

## O.D. Tube Clamp

| Fig. Number | O.D. Size                      |          | Std. Package | Material Size | Max. Rec. Load |        |      |        |      |        | Wt. Each |       |
|-------------|--------------------------------|----------|--------------|---------------|----------------|--------|------|--------|------|--------|----------|-------|
|             |                                |          |              |               | X              |        | Y    |        | Z    |        |          |       |
|             |                                |          |              |               | Lbs.           | kN     | Lbs. | kN     | Lbs. | kN     | Lbs.     | kg    |
| 2449        | 7                              | (177.80) | 25           | 11 Ga.        | 200            | (0.89) | 250  | (1.11) | 1000 | (4.45) | 1.01     | (.46) |
| 2450        | 7 <sup>1</sup> / <sub>8</sub>  | (180.98) | 25           | 11 Ga.        | 200            | (0.89) | 250  | (1.11) | 1000 | (4.45) | 1.02     | (.46) |
| 2451        | 7 <sup>1</sup> / <sub>4</sub>  | (184.15) | 25           | 11 Ga.        | 200            | (0.89) | 250  | (1.11) | 1000 | (4.45) | 1.04     | (.47) |
| 2452        | 7 <sup>3</sup> / <sub>8</sub>  | (187.33) | 25           | 11 Ga.        | 200            | (0.89) | 250  | (1.11) | 1000 | (4.45) | 1.07     | (.49) |
| 2453        | 7 <sup>1</sup> / <sub>2</sub>  | (190.50) | 25           | 11 Ga.        | 200            | (0.89) | 250  | (1.11) | 1000 | (4.45) | 1.09     | (.49) |
| 2454        | 7 <sup>5</sup> / <sub>8</sub>  | (193.68) | 25           | 11 Ga.        | 200            | (0.89) | 250  | (1.11) | 1000 | (4.45) | 1.10     | (.50) |
| 2455        | 7 <sup>3</sup> / <sub>4</sub>  | (196.85) | 25           | 11 Ga.        | 200            | (0.89) | 250  | (1.11) | 1000 | (4.45) | 1.12     | (.51) |
| 2456        | 7 <sup>7</sup> / <sub>8</sub>  | (200.03) | 25           | 11 Ga.        | 200            | (0.89) | 250  | (1.11) | 1000 | (4.45) | 1.13     | (.51) |
| 2457        | 8                              | (203.20) | 25           | 11 Ga.        | 200            | (0.89) | 250  | (1.11) | 1000 | (4.45) | 1.15     | (.52) |
| 2458        | 8 <sup>1</sup> / <sub>8</sub>  | (206.38) | 25           | 11 Ga.        | 200            | (0.89) | 250  | (1.11) | 1000 | (4.45) | 1.17     | (.53) |
| 2459        | 8 <sup>1</sup> / <sub>4</sub>  | (209.55) | 25           | 11 Ga.        | 200            | (0.89) | 250  | (1.11) | 1000 | (4.45) | 1.18     | (.54) |
| 2460        | 8 <sup>3</sup> / <sub>8</sub>  | (212.73) | 25           | 11 Ga.        | 200            | (0.89) | 250  | (1.11) | 1000 | (4.45) | 1.20     | (.54) |
| 2461        | 8 <sup>1</sup> / <sub>2</sub>  | (215.90) | 25           | 11 Ga.        | 200            | (0.89) | 250  | (1.11) | 1000 | (4.45) | 1.21     | (.55) |
| 2463        | 8 <sup>3</sup> / <sub>4</sub>  | (222.25) | 25           | 11 Ga.        | 200            | (0.89) | 250  | (1.11) | 1000 | (4.45) | 1.28     | (.58) |
| 2465        | 9                              | (228.60) | 25           | 11 Ga.        | 200            | (0.89) | 250  | (1.11) | 1000 | (4.45) | 1.32     | (.60) |
| 2466        | 9 <sup>1</sup> / <sub>8</sub>  | (231.78) | 25           | 11 Ga.        | 200            | (0.89) | 250  | (1.11) | 1000 | (4.45) | 1.32     | (.60) |
| 2469        | 9 <sup>5</sup> / <sub>8</sub>  | (244.48) | 25           | 11 Ga.        | 200            | (0.89) | 250  | (1.11) | 1000 | (4.45) | 1.34     | (.61) |
| 2470        | 9 <sup>3</sup> / <sub>4</sub>  | (247.65) | 25           | 11 Ga.        | 200            | (0.89) | 250  | (1.11) | 1000 | (4.45) | 1.39     | (.63) |
| 2475        | 10 <sup>1</sup> / <sub>4</sub> | (260.35) | 25           | 11 Ga.        | 200            | (0.89) | 250  | (1.11) | 1000 | (4.45) | 1.43     | (.65) |
| 2477        | 10 <sup>1</sup> / <sub>2</sub> | (266.70) | 25           | 11 Ga.        | 200            | (0.89) | 250  | (1.11) | 1000 | (4.45) | 1.43     | (.65) |
| 2487        | 11 <sup>3</sup> / <sub>4</sub> | (298.45) | 25           | 11 Ga.        | 200            | (0.89) | 250  | (1.11) | 1000 | (4.45) | 1.50     | (.68) |
| 2488        | 11 <sup>7</sup> / <sub>8</sub> | (301.63) | 25           | 11 Ga.        | 200            | (0.89) | 250  | (1.11) | 1000 | (4.45) | 1.55     | (.70) |
| 2493        | 12 <sup>1</sup> / <sub>2</sub> | (317.50) | 25           | 11 Ga.        | 200            | (0.89) | 250  | (1.11) | 1000 | (4.45) | 1.74     | (.79) |
| 2496        | 12 <sup>7</sup> / <sub>8</sub> | (327.03) | 25           | 11 Ga.        | 200            | (0.89) | 250  | (1.11) | 1000 | (4.45) | 1.65     | (.75) |

Unless otherwise specified, all dimensions on drawings and in charts are in inches and dimensions shown in parentheses are in millimeters.