

Version 1.0	Revision Date: 03/03/2015		SDS Number: 037-00001	Date of last issue: - Date of first issue: 03/03/2015	
SECTION	1. IDENTIFICATION				
Product name		:	: GOJO® Professional Paint & Body Shop Hand Cleaner		
Manut	facturer or supplier's	deta	ils		
	any name of supplier	:		Inc.	
Addre	SS	:	One GOJO Plaza, Suite 500 Akron OH 44311		
Teleph	none	:	1 (330) 255-6000		
Emerg	ency telephone	:	1-800-424-9300 CHEMTREC		
Recor	nmended use of the c	chem	nical and restriction	ons on use	
Recon	Recommended use		Skin-care		
Restrictions on use		:	This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling ar proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.		

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Serious eye damage	: Category 1
GHS Label element Hazard pictograms	
Signal Word	: Danger
Hazard Statements	: H318 Causes serious eye damage.
Precautionary Statements	: Prevention:



Version 1.0	Revision Date: 03/03/2015	MSDS Number: 70037-00001	Date of last issue: - Date of first issue: 03/03/2015
		Response: P305 + P351 + P water for several	orotection/ face protection. 338 + P310 IF IN EYES: Rinse cautiously with minutes. Remove contact lenses, if present Continue rinsing. Immediately call a POISON or/ physician.
Other None k	hazards known.		

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Alcohols, C10-16, ethoxylated, sulfates, sodium	68585-34-2	>= 5 - < 10
salts		
Cocoamidopropyl betaine	61789-40-0	>= 1 - < 5
Titanium dioxide	13463-67-7	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	the case of accident or if you fee vice immediately. hen symptoms persist or in all ca vice.	
If inhaled	nhaled, remove to fresh air. et medical attention if symptoms	occur.
In case of skin contact	ash with water and soap as a pre et medical attention if symptoms	
In case of eye contact	case of contact, immediately flus at least 15 minutes. easy to do, remove contact lens, et medical attention immediately.	if worn.
If swallowed	swallowed, DO NOT induce vom et medical attention if symptoms nse mouth thoroughly with water	occur.
Most important symptoms and effects, both acute and delayed	auses serious eye damage.	
Protection of first-aiders	est Aid responders should pay att d use the recommended person then the potential for exposure ex	al protective equipment



Versi 1.0	on	Revision Date: 03/03/2015		SDS Number: 037-00001	Date of last issue: - Date of first issue: 03/03/2015	
1	Notes to physician		: Treat symptomatically and supportively.			
SECT	TION 5.	FIRE-FIGHTING ME	ASU	IRES		
Suitable extinguishing media		:	: Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)			
	Unsuitable extinguishing media		:	None known.		
	Specific hazards during fire fighting		:	: Exposure to combustion products may be a hazard to health.		
	Hazardous combustion prod- ucts		:	Carbon oxides Sulfur oxides Metal oxides Nitrogen oxides (NOx) Silicon oxides Chlorine compounds		
	Specific method	extinguishing s	:	circumstances an Use water spray	g measures that are appropriate to local ad the surrounding environment. to cool unopened containers. ged containers from fire area if it is safe to do	
	Special for fire-f	protective equipment ighters	-		e, wear self-contained breathing apparatus. tective equipment.	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.
Environmental precautions	:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate



Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	03/03/2015	70037-00001	Date of first issue: 03/03/2015
		absorbent. Local or nationa disposal of this employed in the determine which Sections 13 and	ning materials from spill with suitable al regulations may apply to releases and material, as well as those materials and items e cleanup of releases. You will need to h regulations are applicable. d 15 of this SDS provide information regarding national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: Use only with adequate ventilation.
Advice on safe handling	 Avoid inhalation of vapor or mist. Do not swallow. Do not get in eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice. Keep container tightly closed. Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	: Keep in properly labeled containers. Keep tightly closed. Store in accordance with the particular national regulations.
Materials to avoid	: Do not store with the following product types: Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Titanium dioxide	13463-67-7	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA	10 mg/m3 (Titanium dioxide)	ACGIH

Hazardous components without workplace control parameters

Ingredients	CAS-No.
Alcohols, C10-16, ethoxylated,	68585-34-2
sulfates, sodium salts	



Versio 1.0	on Revisio 03/03/2	on Date: 2015		SDS Number: 037-00001	Date of last issue: - Date of first issue: 03/03/2015
	Cocoamidoprop	oyl betaine		61789-40-0	
E			:	Minimize workplace Dust formation ma product. In additio limitations of cond workplaces have assessment. Rele Particulates Not C dust, 5 mg/m3 - re Particles (insolubl	ventilation, especially in confined areas. ce exposure concentrations. ay be relevant in the processing of this in to substance-specific OELs, general centrations of particulates in the air at to be considered in workplace risk vant limits include: OSHA PEL for Otherwise Regulated of 15 mg/m3 - total espirable fraction; and ACGIH TWA for e or poorly soluble) Not Otherwise (m3 - respirable particles, 10 mg/m3 - 5.
F	Personal prote	ective equipm	ent		
F	Respiratory pro	otection	:	maintain vapor ex concentrations ard unknown, appropu Follow OSHA resp use NIOSH/MSHA by air purifying resp hazardous chemic supplied respirato release, exposure	exhaust ventilation is recommended to posures below recommended limits. Where a above recommended limits or are riate respiratory protection should be worn. birator regulations (29 CFR 1910.134) and A approved respirators. Protection provided spirators against exposure to any cal is limited. Use a positive pressure air r if there is any potential for uncontrolled levels are unknown, or any other ere air purifying respirators may not provide on.
H	Hand protectior Material	n	:	Impervious gloves	5
	Remarks		:	on the concentrati time is not determ For special applic resistance to cher	protect hands against chemicals depending on specific to place of work. Breakthrough ined for the product. Change gloves often! ations, we recommend clarifying the nicals of the aforementioned protective ove manufacturer. Wash hands before end of workday.
E	Eye protection		:	Chemical resistan	g personal protective equipment: t goggles must be worn. ely to occur, wear:
S	Skin and body	protection	:	resistance data ar potential. Skin contact must	e protective clothing based on chemical nd an assessment of the local exposure be avoided by using impervious protective aprons, boots, etc).
H	Hygiene measu	ıres	:	Ensure that eye fl	ushing systems and safety showers are



Version 1.0	Revision Date: 03/03/2015	MSDS Number:Date of last issue: -70037-00001Date of first issue: 03/03/2015	
		located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.	
SECTION	9. PHYSICAL AND CH	EMICAL PROPERTIES	
Appe	earance	: liquid	
Color	r	: opaque, tan	
Odor		: floral	
Odor	Threshold	: No data available	
рН		: 3.4 - 6.5	
Meltir	ng point/freezing point	: No data available	
Initial range	l boiling point and boiling e	: 86 °C	
Flash	n point	: 112.8 °C	
Evap	oration rate	: No data available	
Flam	mability (solid, gas)	: Not applicable	
Uppe	er explosion limit	: No data available	
Lowe	er explosion limit	: No data available	
Vapo	or pressure	: No data available	
Relat	tive vapor density	: No data available	
Dens	ity	: 1.0690 g/cm3	
	bility(ies) ater solubility	: soluble	
	tion coefficient: n- nol/water	: Not applicable	
Autoi	gnition temperature	: No data available	
Deco	mposition temperature	: The substance or mixture is not classified self-reactive.	
Visco Vis	osity scosity, kinematic	: 8,000 - 40,000 mm2/s	
Explo	osive properties	: Not explosive	



Versio 1.0	on Revision Date: 03/03/2015		DS Number: 37-00001	Date of last issue: - Date of first issue: 03/03/2015			
С	Dxidizing properties	:	The substance o	r mixture is not classified as oxidizing.			
SECT	ION 10. STABILITY AND RE	EACI	Ίνιτγ				
R	Reactivity		: Not classified as a reactivity hazard.				
С	Chemical stability		: Stable under normal conditions.				
	Possibility of hazardous reac- tions		: Can react with strong oxidizing agents.				
С	conditions to avoid	:	None known.				
Ir	ncompatible materials	:	Oxidizing agents				
	Hazardous decomposition : No hazardous decomposition products are known. products						
SECT							

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes Inhalation Skin contact Ingestion Eye contact	of exposure
Acute toxicity	
Not classified based on availa	ble information.
<u>Ingredients:</u> Alcohols, C10-16, ethoxylate	ed, sulfates, sodium salts:
Acute oral toxicity	 LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute oral toxicity
Cocoamidopropyl betaine: Acute oral toxicity	 LD50: > 5,000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials
Acute dermal toxicity	 LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materials
Titanium dioxide: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 6.82 mg/l Exposure time: 4 h Test atmosphere: dust/mist



Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	03/03/2015	70037-00001	Date of first issue: 03/03/2015

Assessment: The substance or mixture has no acute inhalation toxicity

Skin corrosion/irritation

Not classified based on available information.

Product:

Result: No skin irritation

Ingredients:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts: Result: Skin irritation

Titanium dioxide:

Species: Rabbit Result: No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Ingredients:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts: Result: Irreversible effects on the eye

Cocoamidopropyl betaine:

Species: Rabbit Result: Irreversible effects on the eye Method: OECD Test Guideline 405 Remarks: Based on data from similar materials

Titanium dioxide:

Species: Rabbit Result: No eye irritation

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

Product:

Assessment: Does not cause skin sensitization.

Ingredients:

Cocoamidopropyl betaine:

Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact Species: Guinea pig Result: negative Remarks: Based on data from similar materials

Titanium dioxide:

Test Type: Local lymph node assay (LLNA)



Ver 1.0	sion	Revision Date: 03/03/2015		SDS Number: 037-00001	Date of last issue: - Date of first issue: 03/03/2015				
	Routes of exposure: Skin contact Species: Mouse Result: negative								
	Germ cell mutagenicity Not classified based on available information.								
	Ingred	ients:							
		midopropyl betaine: oxicity in vitro	:	Method: OECD T Result: negative	rial reverse mutation assay (AM est Guideline 471 on data from similar materials	ES)			
	Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in cytogenetic assay) Species: Mouse Application Route: Ingestion Result: negative Remarks: Based on data from similar materials								
		Im dioxide: oxicity in vitro	:	Test Type: Bacter Result: negative	rial reverse mutation assay (AM	ES)			
	Genoto	oxicity in vivo	:	Test Type: In vivo Species: Mouse Result: negative	o micronucleus test				
		ogenicity ssified based on availa	ble	information.					
	Specie Applica Exposu Methoo Result: Remark The su	im dioxide: s: Rat ation Route: inhalation (ure time: 24 Months d: OECD Test Guideline positive ks: The mechanism or	e 45 mo	53 de of action may no	ot be relevant in humans. Ind therefore does not contribute	e to a dust			
		ogenicity - Assess-	:	Limited evidence animals.	of carcinogenicity in inhalation	studies with			
	IARC		G	roup 2B: Possibly	carcinogenic to humans				
				itanium dioxide		13463-67-7			
	OSHA		е		product present at levels greatent ntified as a carcinogen or potent				



Version 1.0	Revision Date: 03/03/2015	MSDS Number: 70037-00001	Date of last issue: - Date of first issue: 03/03/2015		
NTP		•	nis product present at levels greater than or lentified as a known or anticipated carcinogen		
•	oductive toxicity lassified based on avail	able information.			
Ingre	dients:				
Сосо	amidopropyl betaine:				
Effect	s on fetal development	Species: Rat Application Roy Method: OECD Result: negativ	Test Guideline 414		
STOT	-single exposure				
	Not classified based on available information.				

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Ingredients:

Cocoamidopropyl betaine: Species: Rat NOAEL: 250 mg/kg Application Route: Ingestion Exposure time: 90 d Method: OECD Test Guideline 408 Remarks: Based on data from similar materials

Titanium dioxide:

Species: Rat NOAEL: 24,000 mg/kg Application Route: Ingestion Exposure time: 28 d

Species: Rat NOAEL: 10 mg/m3 Application Route: inhalation (dust/mist/fume) Exposure time: 2 y Remarks: The substance is inextricably bound in the product and therefore does not contribute to a dust inhalation hazard.

Aspiration toxicity

Not classified based on available information.



Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	03/03/2015	70037-00001	Date of first issue: 03/03/2015

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity	
Ingredients: Cocoamidopropyl betaine: Toxicity to fish	: LC50: > 1 - 10 mg/l Exposure time: 96 h Method: ISO 7346/2 Remarks: Based on data from similar materials
Toxicity to bacteria	 EC50: > 100 mg/l Method: OECD Test Guideline 209 Remarks: Based on data from similar materials
Titanium dioxide: Toxicity to fish	 LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
Toxicity to algae	: EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l Exposure time: 72 h
Toxicity to bacteria	: EC50: > 1,000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209
Persistence and degradabilit	ty
Ingredients: Alcohols, C10-16, ethoxylate Biodegradability	ed, sulfates, sodium salts: : Result: Readily biodegradable.
Cocoamidopropyl betaine: Biodegradability	 Result: Readily biodegradable. Biodegradation: > 60 % Exposure time: 28 d Method: OECD Test Guideline 301 Remarks: Based on data from similar materials
Bioaccumulative potential No data available Mobility in soil No data available Other adverse effects No data available	



Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	03/03/2015	70037-00001	Date of first issue: 03/03/2015

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	Dispose of in accordance with local regulations.
Contaminated packaging		Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	A 311/312 Hazards : Acute Health Hazard					
SARA 302	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.					
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.				
Pennsylvania Right To Know	N					
Water		7732-18-5 50 - 70 %				



Version 1.0						te of last issue: - te of first issue: 03/03/2015		
		Dimethyl adij Walnut seed				627-93-0 84012-43-1	10 - 20 % 5 - 10 %	
		Alcohols, C1 sodium salts		6, ethoxylated, sulfa	ates,	68585-34-2	5 - 10 %	
		Titanium diox	kide			13463-67-7	1 - 5 %	
New	Jersey Rig	ght To Know						
		Water				7732-18-5	50 - 70 %	
		Dimethyl adi	pate			627-93-0	10 - 20 %	
		Walnut seed	extr	act		84012-43-1	5 - 10 %	
		Alcohols, C1 sodium salts		6, ethoxylated, sulfa	ates,	68585-34-2	5 - 10 %	
		Cocoamidop	ropy	l betaine		61789-40-0	1 - 5 %	
		Titanium diox	kide			13463-67-7	1 - 5 %	
	ornia Prop		luot		a to cause cts.	ain any chemicals k cancer, birth, or an		
REA	-	s of this prou		All ingredients (pr		•		
TSC	A		:			this product are eith ompliance with a TS		
DSL			:		and are or	this product comply o or exempt from lis nces List (DSL).		
AICS	3		:	All ingredients list	ed or exer	mpt.		

Inventories


AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)



Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	03/03/2015	70037-00001	Date of first issue: 03/03/2015

SECTION 16. OTHER INFORMATION

Further information



HMIS III:

HEALTH	3
FLAMMABILITY	1
PHYSICAL HAZARD	0

- 0 = not significant, 1 =Slight, 2 = Moderate, 3 = High
- 4 = Extreme, * = Chronic

Full text of other abbreviations

ACGIH OSHA Z-1 ACGIH / TWA OSHA Z-1 / TWA	:	USA. ACGIH Threshold Limit Values (TLV) USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants 8-hour, time-weighted average 8-hour time weighted average
Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
Revision Date	:	03/03/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8