

Osborn crimped wire wheel brushes are filled with steel or stainless steel wire in a variety of gages for applications from aggressive material removal and deburring, to surface conditioning and polishing. Arbor holes are easily adapted to any spindle or drive arbor with Osborn adapters.

Ideal for: buffing, cleaning, light deburring, flash removal, surface finishing, polishing, paint & varnish removal, rust & oxide removal, weld preparation, weld cleaning, and much more.

CRIMPED WIRE WIDE FACE WHEEL BRUSH

Osborn Wide Face Wheels are heavily filled with the highest quality steel wire, in a range of wire sizes. Their wide face construction provides fast, efficient brushing on production work and general maintenance jobs. These wheels fit directly onto 2" diameter arbors, without adapters.

Applications: Deburring, Rust Removal, Surface Finishing, General Cleanup of Tools, Bench Motor Brush



Brush Dia.	Plain Arbor Hole	Fill Dia.	Fill Material	Trim Length	Face Width	Max RPM	Item No.
4-1/4	2	0.010	Stainless Steel	3/4	1	6000	22098
4-1/4	2	0.010	Steel	3/4	1	6000	22000
4-1/4	2	0.012	Steel	3/4	1	6000	22003
4-1/4	2	0.014	Stainless Steel	3/4	1	6000	22099
4-1/4	2	0.014	Steel	3/4	1	6000	22004
6	2	0.006	Steel	1	1-1/4	6000	22005
6	2	0.008	Stainless Steel	1	1-1/4	6000	22100
6	2	0.008	Steel	1	1-1/4	6000	22006
6	2	0.010	Stainless Steel	1	1-1/2	6000	22009
6	2	0.010	Steel	1	1-1/4	6000	22060
6	2	0.012	Steel	1	1-1/4	6000	22007
6	2	0.014	Brass	1	1-1/4	6000	22057
6	2	0.014	Stainless Steel	1	1-1/4	6000	22101
6	2	0.014	Steel	1	1-1/4	6000	22008
8	2	0.006	Steel	1-1/2	1-1/2	4500	22010
8	2	0.008	Stainless Steel	1-1/2	1-1/2	4500	22102
8	2	0.008	Steel	1-1/2	1-1/2	4500	22025
8	2	0.010	Steel	1-1/2	1-1/2	4500	22080
8	2	0.012	Stainless Steel	1-1/2	1-1/2	4500	22103
8	2	0.012	Steel	1-1/2	1-1/2	4500	22026
8	2	0.014	Steel	1-1/2	1-1/2	4500	22012
8	2	0.020	Stainless Steel	1-1/2	1-1/2	4500	22104
8	2	0.020	Steel	1-1/2	1-1/2	4500	22013
10	2	0.010	Steel	2-1/8	2	3600	22014
10	2	0.012	Steel	2-1/8	2	3600	22030
10	2	0.014	Stainless Steel	2-1/8	2	3600	22027
10	2	0.014	Steel	2-1/8	2	3600	22029
10	2	0.020	Steel	2-1/8	2	3600	22015
12	2	0.012	Steel	3-1/4	2	3600	22016
12	2	0.014	Steel	3-1/4	2	3600	22038
12	2	0.020	Steel	1-7/8	2	3000	22225
12	2	0.020	Steel	3-1/4	2	3600	22017
15	2	0.012	Steel	3-3/8	2-1/4	2400	22018