

HIGH SPEED SMALL GRINDER STRINGER BEAD WHEEL BRUSH

Works aggressively, yet smoothly and efficiently on air tools or portable power tools.

Applications: Bead Scale Removal

Brush Dia.	Threaded Arbor Hole	AH Nut Color	Fill Dia.	Fill Material	Trim Length	Max RPM	Std Pk	Item No.	Clamshell
4	1/2-13NC	Black	0.020	Stainless Steel	7/8	20000	12	26398	26295
4	1/2-13NC	Black	0.020	Steel	7/8	20000	12	26368	26289
4	3/8-24UNF	Copper	0.020	Stainless Steel	7/8	20000	12	26400	26297
4	3/8-24UNF	Copper	0.020	Steel	7/8	20000	12	26363	26291
4	5/8-11NC	Steel	0.020	Stainless Steel	7/8	20000	12	26399	26296
4	5/8-11NC	Steel	0.020	Steel	7/8	20000	12	26369	26290
4	M-10 x 1.25	Gold	0.020	Stainless Steel	7/8	20000	12	26396	26293
4	M-10 x 1.25	Gold	0.020	Steel	7/8	20000	12	26366	26287
4	M-10 x 1.5	Silver	0.020	Stainless Steel	7/8	20000	12	26397	26294
4	M-10 x 1.5	Silver	0.020	Steel	7/8	20000	12	26367	26288
4	M-14 x 2.0	Red	0.020	Stainless Steel	7/8	20000	12	26395	26292
4	M-14 x 2.0	Red	0.020	Steel	7/8	20000	12	26365	26286



KNOT WIRE WHEEL BRUSH - STRINGER BEAD

The small width of this brush allows it to be used in recessed areas such as welding junctions in pipeline fabrication.

Applications: Cleaning Stringer Bead Welds

Brush Dia.	Threaded Arbor Hole	Fill Dia.	Fill Material	Trim Length	Face Width	Width At Face Plates	Max RPM	Item No.	Clamshell
4-7/8	5/8-11NC	0.020	Stainless Steel	1	3/16	19/64	12000	26344	26079
4-7/8	5/8-11NC	0.020	Steel	1	3/16	19/64	12000	26495	26077
5-7/8	5/8-11	0.020	Stainless Steel	1-1/2	3/16	9/16	12000	26112	
5-7/8	5/8-11	0.020	Steel	1-1/2	3/16	9/16	12000	26032	
6-1/2	5/8-11NC	0.020	Stainless Steel	1-7/32	1/4	9/16	12000	26226	26227
6-1/2	5/8-11NC	0.020	Stainless Steel	1-1/4	3/16	9/16	12000	26347	
6-1/2	5/8-11NC	0.020	Steel	1-7/32	1/4	9/16	12000	26048	26111
6-1/2	5/8-11NC	0.020	Steel	1-1/4	3/16	9/16	12000	26088	26074
6-3/4	5/8-11NC	0.020	Steel	1-1/8	1/8	9/16	8000	26904	



CEMENT CLEANING BRUSH

Osborn Cement Cleaning Brushes with cable twist wire are excellent for removal of joint material from concrete and asphalt. These brushes have a longer trim length.

Applications: Removal of Joint Material from Concrete and Asphalt, Penetration of Expansion Joints

Brush Dia.	Plain Arbor Hole	Fill Dia.	Fill Material	Max RPM	Item No.
10	1	0.025	Steel	8500	27250
12	1	0.035	Steel	6000	27228

Note: These brushes have a 7/16" drive pin hole.

