



EXPANDED OFFERING

Applications range from the toughest, more aggressive surface cleaning applications, including removing weld scale, spatter, extra-heavy rust and corrosion, cleaning pipe joints, or surface roughening to light- to medium- duty surface cleaning and contaminant removal

## WIRE WHEEL BRUSHES

- Available in Standard Twist Knot, Stringer Bead Twist Knot, and Crimped
- See specific machines for each wire wheel below

### Standard Twist Knot Wire Wheel Brushes

Our twist knot wire design provides added rigidity for extra cutting and cleaning power, and a rougher surface finish.

- Wheel brushes with threaded nuts perform well on more aggressive applications requiring high-impact action: tough welding and metal fabrication applications, including removing weld scale, spatter, extra-heavy rust.
- These stem-mounted wheel brushes are used for small-to medium-duty jobs requiring some flexibility and lighter brushing action for corrosion, or surface roughing applications. These brushes are used on straight shaft, die, pencil grinders, drills and right angle grinders.



|            |          |           |          |        |           |
|------------|----------|-----------|----------|--------|-----------|
| TIER:      | BETTER   | BETTER    | BETTER   | GOOD   | GOOD      |
| TRADENAME: | BLUEFIRE | BLUEFIRE  | BLUEFIRE | GEMINI | GEMINI    |
| WIRE TYPE: | STEEL    | STAINLESS | PIPELINE | STEEL  | STAINLESS |

| SIZE  | FACE WIDTH | TRIM LENGTH | MAX. RPM | STD. PKG. | PART #              | PART #              | PART #              | PART # | PART #              |
|---|------------|-------------|----------|-----------|---------------------|---------------------|---------------------|--------|---------------------|
| <b>Standard Twist Knot Wire Wheel Brushes – with Threaded Nut</b> |            |             |          |           |                     |                     |                     |        |                     |
| 3 x 0.014 x 3/8   | 3/8        | 5/8         | 25,000   | 1         |                     |                     |                     |        | 662528 <b>39021</b> |
| 4 x 0.014 x 5/8   | 5/16       | 7/8         | 20,000   | 5         |                     |                     |                     |        | 662528 <b>39011</b> |
| 4 x 0.014 x 5/8-11  | 1/2        | 3/4         | 20,000   | 6         | 699573 <b>70137</b> |                     |                     |        |                     |
| 4 x 0.014 x 5/8-11  | 1/2        | 7/8         | 20,000   | 10        |                     |                     |                     |        | 662528 <b>39052</b> |
| 4 x 0.020 x 5/8-11  | 1/4        | 3/4         | 20,000   | 10        |                     |                     |                     |        | 662528 <b>39132</b> |
| 4 x 0.020 x 5/8-11  | 1/2        | 3/4         | 20,000   | 5         | 662528 <b>38300</b> |                     |                     |        |                     |
| 4 x 0.020 x 5/8-11  | 1/2        | 3/4         | 20,000   | 6         |                     | 699573 <b>70138</b> |                     |        |                     |
| 4 x 0.020 x 5/8-11  | 1/2        | 7/8         | 20,000   | 5         |                     |                     |                     |        | 662528 <b>39078</b> |
| 4 x 0.020 x 5/8-11  | 1/2        | 7/8         | 20,000   | 10        |                     |                     |                     |        | 662528 <b>39035</b> |
| 4 x 0.020 x 5/8-11  | 9/16       | 7/8         | 20,000   | 10        |                     |                     |                     |        | 662528 <b>39019</b> |
| 4-1/2 x 0.020 x 5/8-11  | 1/2        | 1           | 20,000   | 5         | 699366 <b>06275</b> | 699366 <b>53333</b> |                     |        |                     |
| 4-1/2 x 0.020 x 5/8-11  | 1/2        | 1           | 20,000   | 6         | 699366 <b>53331</b> |                     |                     |        |                     |
| 4-1/2 x 0.020 x 5/8-11  | 1/2        | 1           | 20,000   | 6         |                     |                     | 662528 <b>40466</b> |        |                     |
| 5 x 0.020 x 5/8-11  | 1/2        | 1           | 12,500   | 5         | 662528 <b>33487</b> | 662528 <b>33488</b> |                     |        |                     |
| 6 x 0.020 x 5/8-11  | 1/2        | 1-3/8       | 12,500   | 5         | 699366 <b>53352</b> |                     |                     |        |                     |
| 6 x 0.020 x 5/8-11  | 5/8        | 1-1/4       | 9,000    | 5         |                     |                     |                     |        | 662528 <b>39107</b> |
| 6 x 0.025 x 5/8-11  | 5/8        | 1-1/4       | 9,000    | 5         |                     |                     |                     |        | 662528 <b>39593</b> |
| <b>Standard Twist Knot Wire Wheel Brushes – with Arbor Hole</b>   |            |             |          |           |                     |                     |                     |        |                     |
| 3 x 0.014 x 3/8   | 3/8        | 5/8         | 25,000   | 1         |                     |                     |                     |        | 662528 <b>39021</b> |
| 4 x 0.014 x 5/8   | 5/16       | 7/8         | 20,000   | 5         |                     |                     |                     |        | 662528 <b>39011</b> |
| 4 x 0.014 x 5/8   | 1/2        | 3/4         | 20,000   | 6         | 699573 <b>70136</b> |                     |                     |        |                     |
| 6 x 0.014 x 5/8   | 1/2        | 1-1/2       | 9,000    | 5         |                     |                     |                     |        | 662528 <b>39014</b> |



|            |        |
|------------|--------|
| TIER:      | GOOD   |
| TRADENAME: | GEMINI |
| WIRE TYPE: | STEEL  |

| SIZE  | FACE WIDTH | TRIM LENGTH | MAX. RPM | STD. PKG. | PART #              |
|---|------------|-------------|----------|-----------|---------------------|
| <b>Standard Twist Knot Wire Wheel Brushes - with Stem</b> |            |             |          |           |                     |
| 3 x 0.014 x 1/4   | 1/4        | 5/8         | 25,000   | 12        | 662528 <b>39015</b> |
| 3-1/4 x 0.014 x 1/4                                       | 3/8        | 5/8         | 25,000   | 10        | 662528 <b>39031</b> |
| 4 x 0.014 x 1/4   | 1/2        | 7/8         | 25,000   | 8         | 662528 <b>39032</b> |