DIT 22" x 25" Veritek Large Utility Sink

Model number:

DIT1000

Dimensions: 22" x 25" x 14" **Mount Type:** Dual Mount **Material:** Veritek



Standard Features:

- Made of sturdy Veritek with no surface coating to chip or crack.
- Will not mold or mildew.
- Flat deck allows for variety of faucet applications.
- 17 1/2 gallon capacity.

Product characteristics:

- Undermount compatible
- Deck Space for Faucet
- Easy to Clean

Warranty:

1 Year

Standard colors:



Flock (033)

Certifications

Swan products adhere to one or more of the following certifications:








DIT 22" x 25" Veritek Large Utility Sink

Model number:

DIT1000

Dimensions: 22" x 25" x 14" **Mount Type:** Dual Mount

Material: Veritek



(635 mm x 559 mm) A 21-1/2", B 16", C 13-9/16" Capacity: 17-1/2 gallons

Water capacity:
gal.
Type of bowl:
Large
Type of sink:
Utility
Number of bowls:
One

	Project:
	Contractor:
	Representative:
	Date:
	Tel:
	Notes:
_	





DIT Veritek® Large Utility Sink


Manufactured from Swanstone

(See page 2 for detailed information.)

WARRANTY
Limited 1-year - Residential
Limited 1-year - Commercial

FEATURES

- Made of sturdy Veritek® with no surface coating to chip or crack.
- Will not mold or mildew.
- Flat deck—allows for a variety of faucet applications and includes pre-drilled points.
- Rubber drain stopper & drain not included.



SPECIFICATIONS

DIT Veritek® Large Utility Sink

Model	Part	Nominal Dimensions	Ship Wt. Lb.	Ship FedEx	Carton Dims. In.	Cu. Ft.
DIT	DIT10000	25" W x 22" D (635 mm x 559 mm)	18	FedEx	26 X 23 X 16	5.43

Fits opening of 23-5/8" W x 20-5/8" D (600 mm x 524 mm)

Includes: One utility sink, hardware for countertop attachment.

Packaging: Individual cartons.

Note: Three starter holes are countersunk on the underside of the utility sink to

accommodate a single, or 4-inch faucet.

COLORS

Solid Colors:

• Flock (033)

Aggregate Colors:

N/A

STANDARDS AND RATINGS

American National Standard Institute—ANSI Z124.6 International Association of Plumbing and Mechanical Officials (IAPMO)—Listed CSA Test Standard B45.5 Uniform Plumbing Code (UPC)

SUPPORT DOCUMENTS

Installation instructions available at swanstone.com.

MAINTENANCE AND CLEANING INFORMATION

Clean regularly with common household liquid cleaners and a sponge or soft cloth. For hard water stains, scale removers can be used. **Do not** use abrasive cleaners or metal scouring pads.